

#### **BUILDING PRODUCT DECLARATION BPD 3**

in compliance with the guidelines of the Ecocycle Council, June 2007

#### 1. Basic data

Product identification				Document ID
Product name Ceiling presence detector		Product no/ID designation PD 360/24 slave (EM10425127)		Product group PIR sensor
<ul> <li>New declaration</li> </ul>	In the ca	ase of a revis	ed declaration	on
□ Revised declaration				e relates to: cifications based on customer's request
	□No	∎Yes	0 1	roduct can be identified by of barcode label
Drawn up/revised on (date) Apr. 3, 2009			Inspected v	without revision on (date)
Other information:				

## 2. Supplier information

Company name ESYLUX GmbH		Company reg. no/DUNS no				
Address		Contact person	wilko Trölitzsch			
An der Strusbek 40 22926 Ahrensburg/ Germany			Telephone 0049(0)4102-481-0			
Website www.esylux.com	Website www.esylux.com			E-mail wilko.troelitzsch@esylux.com		
Does the company have an environment	Does the company have an environmental management system?			∎No		
The company possesses certification in compliance with	■ ISO 9000	□ ISO14000	□ Other	If "other", please specify:		
Other information:						

## **3. Product information**

Country of final manufacture Germany		If country cannot be stated, please state why					
Area of use Europe and other countries subject to customer sales							
Is there a Safety Data Sheet for	this product?			□ Not relevant	■ Yes	□ No	
In accordance with the regulation Chemicals Agency, please states	Classification Labelling			□ Not relevant			
Is the product registered in BASTA?					□ Yes	□ No	
Has the product been eco- labelled?	□Criteria not found	∎Yes	□No	If "yes", please specify: WEEE			
Is there a Type III environmental declaration for the produ					□ Yes	□ No	
Other information:							

#### 4. Contents

At the time of delivery, the product comprises the following parts/components, with the chemical composition stated:									
Constituent materials/ components	Constituent substances	Weight % or g	EG no/ CAS no (or alloy)	Classification	Comments				
PIR_holder	PA66	2,0g							
LED holder	Nylon	0.2gx1							
Tapping screw (for power PCB)	FeZnNi	0.6gx4							
Tapping screw (for lens)	FeZnNi	0.6gx4							

			_	
Tapping screw (for sensor PCB)	FeZnNi	0.4gx4		
Tapping screw (for top cover and bottom case)	FeZnNi	0.8gx2		
Sealing ring (for the knobs)	NBR	0.2gx2		
Sealing strip (for bottom housing of sensor and lens)	Silicon	1.8g		
Lens	PE	10g		
Top cover	PC	42g		
Bottom housing	PC	53.4g		
Metal plate	FeMg	21g		
Screw (non-dropping type, for sensor and metal plate)	Stainless steel A2	1.0gx2		
Sealing ring (for non-dropping screw)	NBR	0.2gx2		
Bottom cover of the power box	PC	10g		
Decorative ring	PC	14.8g		
Top cover of the power box	PC	8.2g		
Front cover	PC	36g		
Lens mask	РР	1.8g		
PCB	FR4	11,5g	UL class V0	PCB surface is HAL unleaded (Zn/Cu/Ni)

5. Production phase

Resource utilisation and environmental impact during production of the item is reported in one of the following ways:

1) Inflows (goods, intermediate goods, energy etc) for the registered product into the manufacturing unit, and the outflows

(emissions and residual products) from it, i.e. from "gate-to-gate".

■ 2) All inflows and outflows from the extraction of raw materials to finished products i.e. "Cradle-to-gate".

**3**) Other limitation. State what:

The Report relates to unit of product	□Reported product	□ The product's product group	<ul> <li>The product's production unit</li> </ul>		
Indicate raw materials and intermediate g	□ Not relevant				
Raw material/intermediate goods	Quantity and unit		Comments		
Indicate recycled materials used in the mar	nufacture of the product		□ Not relevant		
Type of material	Quantity and unit		Comments		
Enter the <b>energy</b> used in the manufacture of	the product or its comp	onent parts	□Not relevant		
Type of energy	Quantity and unit		Comments		
Enter the <b>transportation</b> used in the manufactor	acture of the product or	its component parts	□Not relevant		
Type of transportation	Proportion %		Comments		
Enter the emission to air, water or soil from	the manufacture of the J	product or its component parts	□Not relevant		
Type of emission	Quantity and unit	Comments			
Enter the <b>residual products</b> from the manua	□Not relevant				

## ESYLUX-

					Comments			
Residual product	Waste code	Quantity	Proportion recycle	ed				
			Material recycled%	Energy recycled%	Comments			
Is there a description of the data accuracy for the manufacturing data?	□Yes	□No	If "yes", please specify:					
Other information:								

# 6. Distribution of finished product

Does the supplier put into practice a system for returning load carriers for the product?	□ Not relevant	□ Yes	□ No
Does the supplier put into practice any systems involving multi-use packaging for the product?	□ Not relevant	🗆 Yes	■ No
Does the supplier take back packaging for the product?	□ Not relevant	□ Yes	■ No
Is the supplier affiliated to REPA?	□ Not relevant	□ Yes	■ No
Other information:			

# 7. Construction phase

Are there any special requirements for the product during storage?	□Not relevant	□Yes	∎No	If "yes", please specify:			
Are there any special requirements for adjacent building products because of this product?	□Not relevant	□Yes	∎No	If "yes", please specify:			
Other information:							

# 8. Usage phase

Does the product involve any special requirements for intermediate goods regarding operation and maintenance?				■ No	If "yes", ple	ease specify:			
Does the product have any special energy s operation?	□ Yes	■ No	If "yes", ple	ease specify:					
Estimated technical service life for the proc	Estimated technical service life for the product is to be entered according to one of the Following options, a) or b):								
a) Reference service life estimated as being approx.	■5 years	□10 years	□15 years	□ 25 years	□>50 years	Comments			
b) Reference service life estimated to b Other information:	]								

# 9. Demolition

Is the product ready for disassembly (taking apart)?	□ Not relevant	🗆 Yes	∎ No	If "yes", please specify:
Does the product require any special measures to protect health and environment during demolition/disassembly?	□ Not relevant	□ Yes	∎ No	If "yes", please specify:
Other information:				

#### ESYLUX-

## 10. Waste management

Is it possible to re-use all or parts of the product?		Not relevant	□ Yes	■ No	If "yes", plea	se specify:	
Is it possible to recycle materials for all or parts of the product?		Not relevant	■ Yes	□ No	If "yes", plea Plastic / meta	· ·	
Is it possible to recycle energy for all or parts of the product?		Not relevant	□ Yes	∎ No	If "yes", please specify:		
Does the supplier have any restrictions and recommendations for re-use, materials or energy recycling or waste disposal?		Not relevant	□ Yes	∎ No	If "yes", please specify:		
Enter the waste code for the <b>supplied</b> product							
Is the <b>supplied</b> product classed as hazardous wast	e?				□Yes	■ No	
If the chemical composition of the product differs after having been built in from that which it had at the time of delivery, meaning that another waste code is given to the finished <b>built in</b> product, then this should be entered here. If it is unchanged, the following details can be omitted.							
Enter the waste code for the <b>built in</b> product							
Is the <b>built in</b> product classed as hazardous waste?							
Other information:							

## **11. Indoor environment**

When used as intended, the product gives off the following emissions:			The product does not have any emissions			
Type of emission	Quantity [µg/	/m2h] or [mg/m3h]	Method of measurement		Comments	
				_		
Can the product itself give rise to any noise?			□ Not relevant	□ Yes	■ No	
Value		Unit	Method of measurement			
Can the product give rise to electrical fields?			□ Not relevant	□ Yes	■ No	
Value		Unit	Method of measurement			
Can the product give rise to magnetic fields?			□ Not relevant	□ Yes	■ No	
Value		Unit	Method of measurement			
Other information:						