



Accessories for VIKING® Lighting

VIKING® Lighting is well known by the rescue, military, police and construction industry




- Earthquakes
- Construction collapse
- Road accidents
- Railways accidents
- Military and Police operations
- Building industry
- Production and Workshops



Tripod is suitable for all VIKING® Lighting types



Tripod
Art. No. 304187



Tripod allows to set
3 Viking® Lightings at maximum



Key parameters of TRIPOD (Art. No 304187)

Max. high	(m)	5.0
Transport length	(m)	1.65
Max. vertical load	(kg)	15
Max. wind area CxA	(m ²)	0.3
Max. wind velocity	(m/s)	10
Weight	(kg)	13



Holder for tripod
Art. No. 203504

VIKING® Lighting portable set with a power generator in a box



VIKING® Lighting can be used with external batteries and power supplies



Battery 12V DC
Art. No. 111012



Charger 12V DC
Art. No. 112012



Power Supply 24V AC
Art. No. 112024

VIKING® Lighting is used in tents and camps by many defense forces and homeland security



Different accessories allow hanging the VIKING® Lighting at ceilings



Hooks
Art. No. 203871




Example of VIKING® Lighting
with the attached hooks
Art. No. 203871



Ring holder
Art. No. 203689



Example of VIKING® Lighting with
the attached ring holders
Art. No. 203689



Strap
L=800mm, B=19mm
Art. No. 106865
or
Strap with a loop
L=100mm, B=25mm
Art. No. 107865

VIKING® Lighting can help with the precise tasks like assembly, construction, searching




VIKING® Lighting can be mounted on various holders




Universal holder with
magnet Ø 105mm
Art. No. 202203



Universal holder
for M8 bolt attachment
Art. No. 203865



Twin holder
for 2 lightings
Art. No. 203503



Holder for 1 lighting
for tripod
Art. No. 203504

Workshop rack with a shelf is suitable to use with magnet holder in any workshop



Workshop rack with shelf
H=1.5m
Art. No. 110865



Universal holder with
magnet Ø 105mm
Art. No. 202203



Workshop rack
with the Viking® Lighting for precise tasks

Statives are suitable for all VIKING® Lighting types



Statives can be used with different holders, that allow using 1 or 2 fixtures



Steel stand
H=2,7m
Art. No. 306865



Universal holder
for M8 bolt attachment
Art. No. 203865



Steel stand H=2.7m
Art. No. 306865
with attached twin holder
Art. No. 203503



Twin holder
(for 2 VIKING® Lightings)
Art. No. 203503

We can define solution of the VIKING® Lighting that is appropriate for your business



CONTACT OUR EXPERTS NOW!

Perry Bylin
Mobile: +46 73 5957311
email: perry.bylin@teknoprod.se

Teknoprod AB
Eldarvägen 1
187 75 Täby, Sweden
Phone +46 8 445 1150
email: info@teknoprod.se

André Dziewanowski
Mobile: +46 70 815 33 65
email: andre@teknoprod.se

Teknoprod AB
Eldarvägen 1
187 75 Täby, Sweden
Phone +46 8 445 1150
email: info@teknoprod.se